

Compliance and Environmental information

CLEER24–10G Switch

P/N CLR2410G

P/N CLR2410G1000

Beyond PoE: Delivering Power over Long Reach Ethernet

The CLEER24–10G data switch delivers Ethernet and Power over Ethernet with multiple times the reach of traditional data switches. With the CLEER24–10G switch customers can transform their existing cabling infrastructure for IP camera or IP phone deployment.

Compliance Information

The CLEER24–10G complies with or has obtained Regulatory Agency approvals at least against the following standards:

- EMC – Emissions FCC Part 15, ICES–003, EN 55032:2012, BS EN 55032:2012 (class A),
- EMC – Immunity EN 55024:2010, BS EN 55024:2010
EN 50121–4:2016, BS EN 50121–4:2016
- Safety IEC 62368–1:2014, EN 62368–1:2014 + A11, BS EN 62368:2014 + A11,
UL 60950–1 2nd Ed 2014–10–14, CAN/CSA C22.2 No. 60950–1–07 2nd Ed 2014–10,
AS/NZS 62368.1:2018

EN 55032, BS EN 55032 and CISPR32 Class A Warning

The CLEER24–10G is a Class A product that may cause radio interference. In this case the user may be required to take adequate measures.

FCC Part 15 Statement

This digital equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications.

Operation of this equipment in a residential area is likely to cause harmful interference, in which case the user will be required to correct the interference at his or her own expense.


ISED Statement

This digital equipment does not exceed Class A limits for radio noise emissions for digital apparatus, set out in Radio Interference Regulation of ISED Canada.

Notice d'ISDE

Cet équipement ne dépasse pas les limites de Classe A d'émission de bruits radioélectriques pour les appareils numériques, telles que prescrites par le Règlement sur le brouillage radioélectrique établi par l'ISDE Canada.

EU Directives: EMC + Safety + RoHS

 NVT PHYBRIDGE

DECLARATION OF CONFORMITY

We NVT Phybridge declare under our sole responsibility that the products:

**CLEER24-10G P/N CLR2410G
CLEER24-10G P/N CLR2410G1000**

**to which this declaration relates, are in conformity with the following
European Directives:**


2014/30 (EMC)
2014/35 (Safety)
2011/65 (RoHS Recast)
2015/863 (amending RoHS Recast)

The standards used to show compliance are:

EN 55032	2012
EN 55024	2010
EN 50121-4	2016
EN 61000-3-2	2014
EN 61000-3-3	2013
EN 62368-1	2014 + A11
EN 63000	2018

The technical file is kept at: *NVT Phybridge
3457 Superior Court
Unit 3
Oakville, Ontario L6L 0C4
Canada*

Oakville, 09 December 2020


John Croce
CEO

3457 Superior Court, Unit 3, Oakville, ON L6L 0C4, Canada
Phone: (905) 901-3633 Fax: (866) 252-9148 www.nvtphybridge.com

- PHYBRIDGE vakuuttaa täten että CLEER24–10G tyyppinen laite on direktiivin 2014/30, 2014/35, 2011/65, 2011/863 oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.
- Hierbij verklaart PHYBRIDGE dat het toestel CLEER24–10G in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2014/30, 2014/35, 2011/65, 2011/863.
- Par la présente PHYBRIDGE déclare que les CLEER24–10G sont conformes aux exigences essentielles et aux autres dispositions pertinentes des Directives 2014/30, 2014/35, 2011/65, 2011/863.
- Härmed intygar PHYBRIDGE att denna CLEER24–10G står i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 2014/30, 2014/35, 2011/65, 2011/863.
- Undertegnede PHYBRIDGE erklærer herved, at følgende udstyr CLEER24–10G overholder de væsentlige krav og øvrige relevante krav i direktiv 2014/30, 2014/35, 2011/65, 2011/863.
- Hiermit erklärt PHYBRIDGE, dass sich dieses CLEER24–10G in Übereinstimmung mit den grundlegenden Anforderungen und den anderen relevanten Vorschriften der Richtlinie 2014/30, 2014/35, 2011/65, 2011/863 befindet (BMW).
• ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ PHYBRIDGE ΔΗΛΩΝΕΙ ΟΤΙ CLEER24–10G ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 2014/30, 2014/35, 2011/65, 2011/863.
- Con la presente PHYBRIDGE dichiara che questo CLEER24–10G è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 2014/30, 2014/35, 2011/65, 2011/863.
- Por medio de la presente PHYBRIDGE declara que el CLEER24–10G cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2014/30, 2014/35, 2011/65, 2011/863.
- PHYBRIDGE declara que este CLEER24–10G está conforme com os requisitos essenciais e outras disposições da Directiva 2014/30, 2014/35, 2011/65, 2011/863.
- Hawnhekk, PHYBRIDGE, jiddikjara li dan CLEER24–10G jikkonforma mal-ħtiġijiet essenzjali u ma provvedimenti oħrajn relevanti li hemm fid-Dirrettiva 2014/30, 2014/35, 2011/65, 2011/863.
- Käesolevaga kinnitab PHYBRIDGE seadme CLEER24–10G vastavust direktiivi 2014/30, 2014/35, 2011/65, 2011/863 põhinõuetele ja nimetatud direktiivist tulenevatele teistele asjakohastele sätetele.
- Alulírott, PHYBRIDGE nyilatkozom, hogy a CLEER24–10G megfelel a vonatkozó alapvető követelményeknek és az 2014/30, 2014/35, 2011/65, 2011/863 irányelv egyéb előírásainak.
- PHYBRIDGE týmto vyhlasuje, že CLEER24–10G spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 2014/30, 2014/35, 2011/65, 2011/863.
- PHYBRIDGE tímto prohlašuje, že tento CLEER24–10G je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 2014/30, 2014/35, 2011/65, 2011/863.
• Šiuo PHYBRIDGE deklaruoja, kad šis CLEER24–10G atitinka esminius reikalavimus ir kitas 2014/30, 2014/35, 2011/65, 2011/863 Direktyvos nuostatas.
- Ar šo PHYBRIDGE deklarē, ka CLEER24–10G atbilst Direktīvas 2014/30, 2014/35, 2011/65, 2011/863 būtiskajām prasībām un citiem ar to saistītajiem noteikumiem.
- PHYBRIDGE izjavlja, da je ta CLEER24–10G skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 2014/30, 2014/35, 2011/65, 2011/863.
- Hér með lýsir PHYBRIDGE yfir því að CLEER24–10G er í samræmi við grunnkröfur og aðrar kröfur, sem gerðar eru í tilskipun 2014/30, 2014/35, 2011/65, 2011/863.
- Niniejszym PHYBRIDGE oświadcza, że CLEER24–10G jest zgodny z zasadniczymi wymogami oraz pozostałymi stosownymi postanowieniami Dyrektywy 2014/30, 2014/35, 2011/65, 2011/863.
- PHYBRIDGE erklærer herved at utstyret CLEER24–10G er i samsvar med de grunnleggende krav og øvrige relevante krav i direktiv 2014/30, 2014/35, 2011/65, 2011/863.
- Noi PHYBRIDGE declarăm că aparatul CLEER24–10G este în conformitate cu cerințele esențiale și cu alte prevederi relevante ale Hotărârii Guvernului nr.88/2003 și Directivei 2014/30, 2014/35, 2011/65, 2011/863.
- PHYBRIDGE декларирам на своя отговорност, че далекосъобщително устройство CLEER24–10G съответства на съществените изисквания по 2014/30, 2014/35, 2011/65, 2011/863.

UK Regulations: EMC + Safety + RoHS

 NVT PHYBRIDGE

UKCA DECLARATION OF CONFORMITY

We **NVT Phybridge** declare under our sole responsibility that the products:

CLEER24-10G P/N CLR2410G
CLEER24-10G P/N CLR2410G1000

to which this declaration relates, are in conformity with the following UK Regulations:

2016 N°1091 - Electromagnetic Compatibility – as amended in 2019, 2020
2016 N°1101 - Electric Equipment (Safety) – as amended in 2019, 2020
2012 N°3032 - RoHS – as amended in 2019, 2020

The standards used to show compliance are:

BS EN 55032	2012
BS EN 55024	2010
BS EN 50121-4	2016
BS EN 61000-3-2	2014
BS EN 61000-3-3	2013
BS EN 62368-1	2014 + A11
BS EN 63000	2018

The technical file is kept at: *NVT Phybridge*
3457 Superior Court
Unit 3
Oakville, Ontario L6L 0C4
Canada

Oakville, 20 July 2021


John Croce
CEO

3457 Superior Court, Unit 3, Oakville, ON L6L 0C4, Canada
Phone: (905) 901-3633 Fax: (866) 252-9148 www.nvtphybridge.com

Marking

The **CLEER24-10G** bears the following CE mark:



Environmental Information

Waste Electrical and Electronic Equipment – WEEE

The WEEE (Waste Electrical and Electronic Equipment) legislation aims to raise the level of recycling of electrical and electronic equipment and to encourage designers to create products with recycling in mind.

The CLEER24-10G and associated equipment (Power supply, etc.) that you bought have required the extraction and use of natural resources for their production. They may contain hazardous substances that could impact health and the environment.

In order to avoid the dissemination of those substances in our environment and to diminish the pressure on the natural resources, we encourage you to use the appropriate take-back systems. Those systems will reuse or recycle most of the materials of your end-of-life equipment in a sound way.



The crossed-out wheeled bin symbol invites you not to dispose of WEEE as unsorted municipal waste and to collect such WEEE separately.

If you need more information on the collection, reuse and recycling systems, please contact your local or regional waste administration.

You can also contact us for more information on the environmental performances of our products.

Compliance to China RoHS – 符合中国RoHS

部件名称 (Parts)	有毒有害物质或元素 (Hazardous Substances)					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (CrV)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
主板 (Boards)	0	0	0	0	0	0
电缆 (Cables)	0	0	0	0	0	0
电源 (Power Supply)	0	0	0	0	0	0
机箱 (Chassis)	0	0	0	0	0	0
盖板 (Cover)	0	0	0	0	0	0

0 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11364-2014 标准规定的限量要求以下。

Indicates that the concentration of the hazardous substance in all homogeneous materials in the parts is below the relevant threshold of the SJ/T11363-2006 standard.

X 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 SJ/T11364-2014 标准规定的限量要求。

Indicates that the concentration of the hazardous substance of at least one of all homogeneous materials in the parts is above the relevant threshold of the SJ/T11364-2014 standard.



Making changes or modifications

Any changes or modifications not expressly approved by Phybridge will void any compliance and regulatory approval, and will void the user's authority to operate the equipment.